Veterinary Parasitology

Cestodes 1
Tapeworms
Answers



- · Which of the following are of concern with a Taenia pisiformis infection?
 - 1. Companion animal concern
 - 2. Economic concern
 - 3. Human Health concern

- Which of the following are of concern with a Taenia taenia formis infection?
 - 1. Companion animal concern
 - 2. Economic concern
 - 3. Human Health concern

- Which of the following are of concern with a Taenia saginata infection?
 - 1. Companion animal concern
 - 2. Economic concern
 - 3. Human Health concern

(minor)

If a cow is found to be infected with Taenia saginata, what is the cause of condemnation of a cow carcass?

- A. Measly beef (larvae in the muscles)
- B. Adult tapeworms in the small intestine
- C. Larval stages in the liver
- D. Segments in the feces of the cow

- Which of the following are of concern with a Taenia solium infection?
 - 1. Companion animal concern
 - 2. Economic concern
 - 3. Human Health concern

 Which of the following are of concern with an Echinococcus infection?

- 1. Companion animal concern (minor)

- 2. Economic concern

- 3. Human Health concern

How do humans become infected with the hydatid cyst of Echinococcus granulosus?

- A. Ingest larval tapeworm from raw pork
- B. Ingest larval tapeworm from raw beef
- C. Ingest tapeworm egg from dog feces
- D. Ingest larval tapeworm in copepod
- E. Ingest tapeworm egg from human feces

If a host is infected with a <u>larval</u> tapeworm, what did the host ingest?

Tapeworm egg

Remember the flow of the life cycle:

adult -> egg -> larva

For most tapeworms